



Characteristic Curves

TEN 20-11011W1RH


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Power Dissipation versus Output Load




Derating Output Load versus Ambient Temperature




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 20-11012WIRH


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 20-11013WIRH


Efficiency versus Output Load




Power Dissipation versus Output Load



Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 20-11015WIRH


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 20-11021WIRH


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 20-11022WIRH


Efficiency versus Output Load




Power Dissipation versus Output Load




Efficiency versus Input Voltage




Derating Output Load versus Ambient Temperature




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic




Remote on/off Voltage Start-Up Characteristic




TEN 20-11023WIRH


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Typical Start-Up and Output Rise Characteristic




Power Dissipation versus Output Load



Derating Output Load versus Ambient Temperature



Transient Response to Dynamic Load Change (25%)



Remote on/off Voltage Start-Up Characteristic

