



## **Characteristic Curves**

### **THD 10-2410WIN**


Efficiency versus Output Load




#### Efficiency versus Input Voltage




### Typical Output Ripple and Noise



### Typical Start-Up and Output Rise Characteristic




### Derating Output Load versus Ambient Temperature




www.tracopower.com Page 1 of 14

### **THD 10-2411WIN**


#### Efficiency versus Output Load




### Efficiency versus Input Voltage




## Typical Output Ripple and Noise



### Typical Start-Up and Output Rise Characteristic




### Derating Output Load versus Ambient Temperature




www.tracopower.com Page 2 of 14

### **THD 10-2412WIN**


### Efficiency versus Output Load




### Efficiency versus Input Voltage




## Typical Output Ripple and Noise



## Typical Start-Up and Output Rise Characteristic



### Derating Output Load versus Ambient Temperature




www.tracopower.com Page 3 of 14


# **TRACO POWER**

## **THD 10-2413WIN**


### Efficiency versus Output Load




## Efficiency versus Input Voltage




## Typical Output Ripple and Noise



## Typical Start-Up and Output Rise Characteristic




### Derating Output Load versus Ambient Temperature




www.tracopower.com Page 4 of 14

### **THD 10-2415WIN**


### Efficiency versus Output Load




## Efficiency versus Input Voltage




## Typical Output Ripple and Noise



Typical Start-Up and Output Rise Characteristic




### Derating Output Load versus Ambient Temperature




www.tracopower.com Page 5 of 14

### **THD 10-2422WIN**


#### Efficiency versus Output Load




### Efficiency versus Input Voltage




## Typical Output Ripple and Noise



## Typical Start-Up and Output Rise Characteristic




### Derating Output Load versus Ambient Temperature




www.tracopower.com Page 6 of 14

### **THD 10-2423WIN**


#### Efficiency versus Output Load




### Efficiency versus Input Voltage




### Typical Output Ripple and Noise



## Typical Start-Up and Output Rise Characteristic




### Derating Output Load versus Ambient Temperature




www.tracopower.com Page 7 of 14

### **THD 10-4810WIN**


### Efficiency versus Output Load




### Efficiency versus Input Voltage




## Typical Output Ripple and Noise



## Typical Start-Up and Output Rise Characteristic




### Derating Output Load versus Ambient Temperature




www.tracopower.com Page 8 of 14

### **THD 10-4811WIN**


### Efficiency versus Output Load




### Efficiency versus Input Voltage




## Typical Output Ripple and Noise



## Typical Start-Up and Output Rise Characteristic




### Derating Output Load versus Ambient Temperature




www.tracopower.com Page 9 of 14

### **THD 10-4812WIN**


#### Efficiency versus Output Load




### Efficiency versus Input Voltage




### Typical Output Ripple and Noise



Typical Start-Up and Output Rise Characteristic




### Derating Output Load versus Ambient Temperature




www.tracopower.com Page 10 of 14

### **THD 10-4813WIN**


#### Efficiency versus Output Load




### Efficiency versus Input Voltage




## Typical Output Ripple and Noise



## Typical Start-Up and Output Rise Characteristic




### Derating Output Load versus Ambient Temperature




www.tracopower.com Page 11 of 14

### **THD 10-4815WIN**


#### Efficiency versus Output Load




### Efficiency versus Input Voltage




### Typical Output Ripple and Noise



### Typical Start-Up and Output Rise Characteristic




### Derating Output Load versus Ambient Temperature




www.tracopower.com Page 12 of 14

### **THD 10-4822WIN**


#### Efficiency versus Output Load




### Efficiency versus Input Voltage




## Typical Output Ripple and Noise



Typical Start-Up and Output Rise Characteristic



Derating Output Load versus Ambient Temperature




www.tracopower.com Page 13 of 14




### **THD 10-4823WIN**


#### Efficiency versus Output Load




### Efficiency versus Input Voltage



### Typical Output Ripple and Noise



## Typical Start-Up and Output Rise Characteristic



### Derating Output Load versus Ambient Temperature

