



Characteristic Curves

TEL 6-0911


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-0912


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-0913


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-0915


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-0922


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-0923


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-1211


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-1212


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-1213


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-1215


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-1222


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-1223


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-2411


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-2412


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-2413


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-2415


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-2422


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-2423


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-4811


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-4812


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-4813


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-4815


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-4822


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)




Derating Output Load versus Operating Temperature




Characteristic Curves

TEL 6-4823


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Start-Up and Output Rise Characteristic



Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Derating Output Load versus Operating Temperature

