

Characteristic Curves

TMDC 60-7211H







Typical Output Ripple and Noise




Typical Input Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




Efficiency vs Input Voltage



Transient Response to Dynamic Load Change (25%)




Remote on/off Voltage Start-Up Characteristic




TMDC 60H Series

TMDC 60-7212H


Efficiency vs Output Load




Typical Output Ripple and Noise




Typical Input Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




Efficiency vs Input Voltage



Transient Response to Dynamic Load Change (25%)




Remote on/off Voltage Start-Up Characteristic




TMDC 60H Series

TMDC 60-7213H


Efficiency vs Output Load




Typical Output Ripple and Noise




Typical Input Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




Efficiency vs Input Voltage



Transient Response to Dynamic Load Change (25%)




Remote on/off Voltage Start-Up Characteristic




TMDC 60H Series

TMDC 60-7215H


Efficiency vs Output Load




Typical Output Ripple and Noise




Typical Input Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




Efficiency vs Input Voltage



Transient Response to Dynamic Load Change (25%)




Remote on/off Voltage Start-Up Characteristic




TMDC 60H Series

TMDC 60-7218H


Efficiency vs Output Load




Typical Output Ripple and Noise




Typical Input Start-Up and Output Rise Characteristic





Derating Output Load versus Ambient Temperature




Efficiency vs Input Voltage








Remote on/off Voltage Start-Up Characteristic




TMDC 60H Series

TMDC 60-7222H


Efficiency vs Output Load




Typical Output Ripple and Noise




Typical Input Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




Efficiency vs Input Voltage



Transient Response to Dynamic Load Change (25%)




Remote on/off Voltage Start-Up Characteristic




TMDC 60H Series

TMDC 60-7223H


Efficiency vs Output Load




Typical Output Ripple and Noise




Typical Input Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




Efficiency vs Input Voltage



Transient Response to Dynamic Load Change (25%)




Remote on/off Voltage Start-Up Characteristic




TMDC 60H Series

TMDC 60-7225H


Efficiency vs Output Load




Typical Output Ripple and Noise




Typical Input Start-Up and Output Rise Characteristic




Derating Output Load versus Ambient Temperature




Efficiency vs Input Voltage



Transient Response to Dynamic Load Change (25%)



Remote on/off Voltage Start-Up Characteristic



© Copyright 2021 Traco Electronic AG

TRACO POWER

www.tracopower.com

Specifications can be changed without notice! Rev. October 8, 2021