



TMPS 15-103


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Typical Hold-up Characteristic




www.tracopower.com Page 1 of 7




TMPS 15-105


Efficiency versus Output Load




Efficiency versus Input Voltage









Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Typical Hold-up Characteristic




www.tracopower.com Page 2 of 7




TMPS 15-109


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Typical Hold-up Characteristic




www.tracopower.com Page 3 of 7




TMPS 15-112


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Typical Hold-up Characteristic




www.tracopower.com Page 4 of 7




TMPS 15-115


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Typical Hold-up Characteristic




www.tracopower.com Page 5 of 7




TMPS 15-124


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise




Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Typical Hold-up Characteristic




www.tracopower.com Page 6 of 7




TMPS 15-148


Efficiency versus Output Load




Efficiency versus Input Voltage




Typical Output Ripple and Noise



Transient Response to Dynamic Load Change (25%)



Typical Start-Up and Output Rise Characteristic



Typical Hold-up Characteristic

